



Printing date 09.02.2024 Version number 28 (replaces version 27) Revision: 09.02.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name BRAWO-HT - Komponente B

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance

/ the mixture Epoxy sealing

Hardening agent/ Curing agent

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: BRAWO SYSTEMS GmbH

Blechhammerweg 13-17 67659 Kaiserslautern Deutschland/Germany

Tel: +49(0)631-205 61 100

· Informing department: Technische Abteilung

msds@brawoliner.de

· 1.4 Emergency telephone

number: +49 (0) 61 31 - 19 240 (Giftnotruf Mainz)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H302 Harmful if swallowed.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms







GHS05 GHS07 GHS08

· Signal word Danger

· Hazard-determining

components of labelling: Isophorone diamine

4,4'-methylenebis(cyclohexan-1-amine)

polymer amine terminated

2,4,6-tris(dimethylaminomethyl)phenol 2,4,6-Tris-(1-Phenyl-Ethyl) carbolic acid

· **Hazard statements** H302 Harmful if swallowed.

(Contd. on page 2)





Printing date 09.02.2024 Version number 28 (replaces version 27) Revision: 09.02.2024

Trade name BRAWO-HT - Komponente B

(Contd. of page 1)

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated

exposure.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements F

P101 If medical advice is needed, have product

container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P260 Do not breathe dusts or mists.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water [or

shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

P310 Immediately call a POISON CENTER, P321 Specific treatment (see on this label).

Specific treatment (see on this laber).

P362+P364 Take off contaminated clothing and wash it

before reuse.

P501 Dispose of contents/container in accordance

with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture consisting of the following components.

· Dangerous components:		
CAS: 2855-13-2 EINECS: 220-666-8 Reg.nr.: 01-2119514687-32	Isophorone diamine Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317; Aquatic Chronic 3, H412	30-60%
EC number: 949-140-2	polymer amine terminated Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1B, H317	10-30%
CAS: 1761-71-3 EINECS: 217-168-8	4,4'-methylenebis(cyclohexan-1-amine) STOT RE 2, H373; Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Sens. 1B, H317	10-30%
CAS: 90-72-2 EINECS: 202-013-9 Reg.nr.: 2119560597-27	2,4,6-tris(dimethylaminomethyl)phenol Skin Corr. 1C, H314; Eye Dam. 1, H318; Acute Tox. 4, H302	≥5-<10%
CAS: 100-51-6	Benzyl alcohol Acute Tox. 4, H302; Acute Tox. 4, H332; Eye Irrit. 2, H319	<5%
CAS: 61788-44-1 EINECS: 262-975-0	2,4,6-Tris-(1-Phenyl-Ethyl) carbolic acid Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317	≥1-<2.5%

(Contd. on page 3)





Printing date 09.02.2024 Version number 28 (replaces version 27) Revision: 09.02.2024

Trade name BRAWO-HT - Komponente B

	(Co	ntd. of page 2)
CAS: 69-72-7	salicylic acid	<1%
EINECS: 200-712-3	Repr. 2, H361d; Eye Dam. 1, H318; Acute Tox. 4, H302	
· Additional information	For the wording of the listed hazard phrases refer to sec	ction 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information Immediately remove any clothing contaminated with the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the

accident.

· After inhalation Supply fresh air and call for doctor for safety reasons.

In case of unconsciousness bring patient into stable side position

for transport.

· After skin contact Instantly wash with water and soap and rinse thoroughly.

After eye contact
 After swallowing
 Call a doctor immediately.
 Instantly call for doctor.

Drink copious amounts of water and provide fresh air. Instantly call

for doctor.

SECTION 5: Firefighting measures

5.1 Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

· 5.2 Special hazards arising from the substance or

mixture No further relevant information available.

· 5.3 Advice for firefighters

• **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.2 Environmental precautions:

Wear protective equipment. Keep unprotected persons away.

Inform respective authorities in case product reaches water or sewage system.

· 6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust). Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other

sections See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 4)





Printing date 09.02.2024 Version number 28 (replaces version 27) Revision: 09.02.2024

Trade name BRAWO-HT - Komponente B

(Contd. of page 3)

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling Store in cool, dry place in tightly closed containers.

Open and handle container with care.

· Information about protection

against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by

storerooms and containers: No special requirements.

· Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: Keep container tightly sealed.

· Storage class 8A

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical

values that require

monitoring at the workplace: The product does not contain any relevant quantities of materials

with critical values that have to be monitored at the workplace.

		with chical values that have to be monitored at the workplace.
·DNELs		
CAS: 285	5-13-2	Isophorone diamine
Oral	DNEL	0.526 mg/kg bw/Tag (ArL)
Inhalative	DNEL	20.1 mg/m³ (ArL)
CAS: 176	1-71-3	4,4'-methylenebis(cyclohexan-1-amine)
Oral	DNEL	0.06 mg/kg bw/Tag (ArL)
Dermal	DNEL	0.1 mg/kg bw/day (ArL)
Inhalative	DNEL	1 mg/m³ (ArL)
CAS: 90-7	72-2 2,4	,6-tris(dimethylaminomethyl)phenol
Inhalative	DNEL	0.31 mg/m³ (ArL)
CAS: 100-	-51-6 B	enzyl alcohol
Oral	DNEL	4 mg/kg bw/Tag (ArL)
		20 mg/kg bw/Tag (Ark)
Dermal	DNEL	8 mg/kg bw/day (ArL)
		40 mg/kg bw/day (Ark)
Inhalative	DNEL	22 mg/m³ (ArL)
		110 mg/m³ (Ark)

(Contd. on page 5)





Version number 28 (replaces version 27) Revision: 09.02.2024 Printing date 09.02.2024

Trade name BRAWO-HT - Komponente B

		(Contd. of page
PNEC	3	
CAS: 2	2855-13-2 Isophorone	diamine
PNEC	0.006 mg/l (Mew)	
	0.06 mg/l (Freshwater)	
PNEC	0.578 mg/kg dwt (Sedii	ment)
	5.784 mg/kg dwt (Fresi	h water sediment)
CAS: 1	1761-71-3 4,4'-methyle	nebis(cyclohexan-1-amine)
PNEC	0.08 mg/l (Fresh water)	
	3.2 mg/l (Kla)	
	13.7 mg/l (Mew)	
PNEC	27.2 mg/kg dwt (Bod)	
	13.7 mg/kg dwt (Sedim	nent)
	137 mg/kg dwt (Fresh	water sediment)
CAS: 9	00-72-2 2,4,6-tris(dime	thylaminomethyl)phenol
PNEC	0.2 mg/l (Sewage Trea	tment Plant)
	0.0084 mg/l (Mew)	
	0.084 mg/l (Freshwater	r)
CAS: 1	100-51-6 Benzyl alcoho	ol .
PNEC	0.527 mg/l (Marine wat	er sediment)
	0.1 mg/l (Mew)	
	1 mg/l (Fresh water see	diment)
PNEC	0.456 mg/kg dwt (Bod)	
	5.27 mg/kg dwt (Fresh	water sediment)
· Additio	onal information:	The lists that were valid during the compilation were used as bas

· 8.2 Exposure controls · Appropriate engineering

controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

General protective and

hygienic measures Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· Hand protection Protective gloves.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

Penetration time of glove

material

Material of gloves

The exact breakthrough time must be obtained from the protective

glove manufacturer and must be observed.

Tightly sealed safety glasses. · Eye/face protection

(Contd. on page 6)





Printing date 09.02.2024 Version number 28 (replaces version 27) Revision: 09.02.2024

Trade name BRAWO-HT - Komponente B

· Body protection: Protective work clothing.

(Contd. of page 5)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Colour: Colourless
 Smell: Amine-like
 Melting point/freezing point: Not determined

Boiling point or initial boiling point and

boiling range 247 °C (CAS: 2855-13-2 3-aminomethyl-3,5,5-

trimethylcyclohexylamine)

· Flash point: 117 °C

PH Not applicable.

Not determined.

· Viscosity:

· Kinematic viscosity
· dynamic:

Not determined.

Not determined.

Solubility

• Water: Not miscible or difficult to mix

· Steam pressure: Not determined.

Density and/or relative density

Density at 20 °C 0.98 g/cm³

· 9.2 Other information

· Appearance:

· Form: Fluid

Important information on protection of health and environment, and on safety.

Self-inflammability: Product is not selfigniting.
 Explosive properties: Product is not explosive.

Information with regard to physical hazard

classes · Explosives Void · Flammable gases Void Void Aerosols Void · Oxidising gases · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit Void flammable gases in contact with water Void

flammable gases in contact with water

Oxidising liquids
Oxidising solids
Organic peroxides
Corrosive to metals
Void
Void
Void
Void
Void

(Contd. on page 7)





Printing date 09.02.2024 Version number 28 (replaces version 27) Revision: 09.02.2024

Trade name BRAWO-HT - Komponente B

(Contd. of page 6)

Desensitised explosives

Void

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability · Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known

10.4 Conditions to avoid
 10.5 Incompatible materials:
 No further relevant information available.

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Harmful if swallowed.

CAS: 285	5-13-2 Isophorone dian	nine
Oral	LD50	1030 mg/kg (ATE)
		1030 mg/kg (rat)
	NOAEL	250 mg/kg (rat)
Dermal	LD50	1840 mg/kg (rabbit)
		>2000 mg/kg (rat)
CAS: 176	1-71-3 4,4'-methylenebi	is(cyclohexan-1-amine)
Oral	LD50	380 mg/kg (rat)
Dermal	LD50	2110 mg/kg (rat)
CAS: 90-7	72-2 2,4,6-tris(dimethyla	aminomethyl)phenol
Oral	LD50	mg/kg (rat)
	NOAEL	15 mg/kg (rat)
CAS: 100	-51-6 Benzyl alcohol	
Oral	LD50	1230 mg/kg (rat)
	NOAEL 2nd year study	200 mg/kg (mouse)
		200 mg/kg (rat)
Dermal	LD50	2000 mg/kg (rabbit)
Inhalative	LC50/4 h	>4178 mg/l (rat)
CAS: 69-7	72-7 salicylic acid	1
Oral	LD50	891 mg/kg (rat)
		>2000 mg/kg (rat)

· **Skin corrosion/irritation** Causes severe skin burns and eye damage.

· Serious eye damage/irritation Causes serious eye damage.

· Respiratory or skin

sensitisation May cause an allergic skin reaction.

(Contd. on page 8)





Version number 28 (replaces version 27) Revision: 09.02.2024 Printing date 09.02.2024

Trade name BRAWO-HT - Komponente B

(Contd. of page 7)

· Germ cell mutagenicity Based on available data, the classification criteria are not met. · Carcinogenicity Based on available data, the classification criteria are not met. · Reproductive toxicity Based on available data, the classification criteria are not met. · STOT-single exposure Based on available data, the classification criteria are not met. · STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.

· Aspiration hazard Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

· Endocrine disrupting properties		
CAS: 61788-44-1	2,4,6-Tris-(1-Phenyl-Ethyl) carbolic acid	List II
CAS: 69-72-7	salicylic acid	List II; III

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:	
CAS: 2855	-13-2 Isophorone diamine
LC50/96h	110 mg/l (Leucidus idus)
EC50	1120 mg/l (Pseudomonas putida)
EC50/48h	23 mg/l (Daphnia magna)
NOEC	1.5 mg/l (Desmodesmus subspicatus)
	3 mg/l (Daphnia magna)
ErC50/72h	>50 mg/l (Desmodesmus subspicatus)
CAS: 1761	-71-3 4,4'-methylenebis(cyclohexan-1-amine)
LC50/96h	>100 mg/l (Leucidus idus)
EC50/48h	6.84 mg/l (Daphnia magna)
NOEC	4 mg/l (Daphnia magna)
ErC50/72h	141.2 mg/l (Desmodesmus subspicatus)
CAS: 90-72	2-2 2,4,6-tris(dimethylaminomethyl)phenol
EC50/72h	84 mg/l (Desmodesmus subspicatus)
LC50/96h	175 mg/l (Cyp)
	718 mg/l (Daphnia magna)
NOEC	2 mg/l (BEL)
	6.25 mg/l (Desmodesmus subspicatus)
CAS: 100-51-6 Benzyl alcohol	
IC50/72h	700 mg/l (algae)
LC50/96h	460 mg/l (Pimephales promelas)
	10 mg/l (Lepomis macrochirus)
· 12.2 Persis	stence and

degradability No further relevant information available.

· 12.3 Bioaccumulative

potential No further relevant information available. · 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment Not applicable. · PBT:

(Contd. on page 9)





Printing date 09.02.2024 Version number 28 (replaces version 27) Revision: 09.02.2024

Trade name BRAWO-HT - Komponente B

(Contd. of page 8)

· **vPvB:** Not applicable.

· 12.6 Endocrine disrupting

properties For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects

· Remark: Toxic for fish

· Additional ecological information:

• General notes: Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Must not reach sewage water or drainage ditch undiluted or

unneutralised.

Do not allow product to reach ground water, water bodies or

sewage system.

Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

Waste disposal key number: 55352

Bez.: aliphatische Amine Entsorgungshinweise: Sonderabfallverbrennung

· Uncleaned packagings:

• Recommendation: Dispose of packaging according to regulations on the disposal of

packagings.

Empty contaminated packagings thoroughly. They can be recycled

after thorough and proper cleaning.

14.1 UN number or ID number	
ADR, IMDG, IATA	UN2735
14.2 UN proper shipping name	
ADR, IMDG, IATA	AMINES, LIQUID, CORROSIVE, N.O.S
	(Isophorone diamine, 4,4' methylenebis(cyclohexylamine))
14.3 Transport hazard class(es)	
ADR	
Class	8 (C7) Corrosive substances.
Label	8
IMDG, IATA	
Class	8 Corrosive substances.
Label	8
14.4 Packing group	
ADR, IMDG, IATA	II

Contd. on page 10)





Printing date 09.02.2024 Version number 28 (replaces version 27) Revision: 09.02.2024

Trade name BRAWO-HT - Komponente B

	(Contd. of page
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Corrosive substances.
Kemler Number:	80
EMS Number:	F-A,S-B
Segregation groups	(SGG18) Alkalis
Stowage Category	Ä
Segregation Code	SG35 Stow "separated from" SGG1-acids
14.7 Maritime transport in bulk accord	ing to
IMO instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (ÉQ)	Code: E2
,	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 m
Transport category	2
Tunnel restriction code	E
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (ÉQ)	Code: E2
. , ,	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 m
UN "Model Regulation":	UN 2735 AMINES, LIQUID, CORROSIVE, N.O.
 	(ISOPHORONE DIAMINE, 4,4
	METHYLENEBIS(CYCLOHEXYLAMINE)), 8, II

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/ legislation specific for the

substance or mixture No further relevant information available.

· Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

(Contd. on page 11)





Printing date 09.02.2024 Version number 28 (replaces version 27) Revision: 09.02.2024

Trade name BRAWO-HT - Komponente B

(Contd. of page 10)

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Relevant phrases H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or

repeated exposure.

H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

· Department issuing data specification sheet:

Environment protection department.

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Corr. 1C: Skin corrosion/irritation - Category 1C Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation - Category 1B Repr. 2: Reproductive toxicity - Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic

hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic

hazard - Category 3

^{· *} Data compared to the previous version altered.