



Printing date 09.02.2024 Version number 30 (replaces version 29) Revision: 09.02.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name BRAWO AC - Komponente B

1.2 Relevant identified uses of the substance or mixture

and uses advised against No further relevant information available.

· Application of the substance

/ the mixture Epoxy sealing

Hardening agent/ Curing agent

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: BRAWO SYSTEMS GmbH

Blechhammerweg 13-17 67659 Kaiserslautern Deutschland/Germany

Tel: +49(0)631-205 61 100

· Informing department: Technische Abteilung

msds@brawoliner.de

· 1.4 Emergency telephone

number: +49 (0) 61 31 - 19 240 (Giftnotruf Mainz)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Repr. 2 H361fd Suspected of damaging fertility. Suspected of damaging the unborn

child.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP

regulation.

· Hazard pictograms



GHS05 GHS07 GHS08

· Signal word Danger

· Hazard-determining

components of labelling: Isophorone diamine

2-piperazin-1-ylethylamine

Amine polymer

Polyoxypropylentriamin

(Contd. on page 2)





Version number 30 (replaces version 29) Printing date 09.02.2024 Revision: 09.02.2024

Trade name BRAWO AC - Komponente B

(Contd. of page 1) · Hazard statements H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H361fd Suspected of damaging fertility. Suspected of damaging the unborn child. H373 May cause damage to organs through prolonged or repeated exposure. H412 Harmful to aquatic life with long lasting effects. Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P260 Do not breathe dusts or mists. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P321 Specific treatment (see on this label). P362+P364 Take off contaminated clothing and wash it before reuse. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Additional information: EUH401 To avoid risks to human health and the environment, comply with the instructions for use. · 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture consisting of the following components.

| · Dangerous components: | | |
|--|--|--------|
| CAS: 2855-13-2 EINECS: 220-666-8 Reg.nr.: 01-2119514687-32 | Isophorone diamine Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317; Aquatic Chronic 3, H412 | 30-60% |
| | Amine polymer Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1B, H317 | 10-30% |





Printing date 09.02.2024 Version number 30 (replaces version 29) Revision: 09.02.2024

Trade name BRAWO AC - Komponente B

| CAS: 39423-51-3 | Polyoxypropylentriamin | ontd. of page 2 ≥10-<25% |
|-------------------|--|-----------------------------|
| | Eye Dam. 1, H318; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Acute Tox. 4, H312 | |
| CAS: 140-31-8 | 2-piperazin-1-ylethylamine | ≥3-<5% |
| EINECS: 205-411-0 | Repr. 2, H361fd; STOT RE 1, H372; Skin Corr. 1B, H314; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317; Aquatic Chronic 3, H412 | |
| CAS: 100-51-6 | Benzyl alcohol | <2.5% |
| | Acute Tox. 4, H302; Acute Tox. 4, H332; Eye Irrit. 2, H319 | |

SECTION 4: First aid measures

· 4.1 Description of first aid measures

• General information Take affected persons into the open air.

Immediately remove any clothing contaminated with the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the

accident.

· After inhalation Supply fresh air and call for doctor for safety reasons.

In case of unconsciousness bring patient into stable side position

for transport.

• After skin contact Instantly wash with water and soap and rinse thoroughly.

• After eye contact Seek medical treatment.

· After swallowing Rinse out mouth and then drink plenty of water.

Instantly call for doctor.

Drink copious amounts of water and provide fresh air. Instantly call

for doctor.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

Suitable extinguishing agents Use fire fighting measures that suit the environment.

5.2 Special hazards arising

from the substance or mixture

No further relevant information available.

· 5.3 Advice for firefighters

• Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Inform respective authorities in case product reaches water or

sewage system.

(Contd. on page 4)





Printing date 09.02.2024 Version number 30 (replaces version 29) Revision: 09.02.2024

Trade name BRAWO AC - Komponente B

(Contd. of page 3)

· 6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust). Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other

sections See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling Store in cool, dry place in tightly closed containers.

Open and handle container with care.

· Information about protection

against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

Storage

· Requirements to be met by

storerooms and containers: No special requirements.

· Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: Keep container tightly sealed.

· Storage class 8A

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Components with critical values that require

monitoring at the workplace: The product does not contain any relevant quantities of materials

with critical values that have to be monitored at the workplace.

| · DNELs | | |
|------------|----------|--------------------------|
| CAS: 285 | 5-13-2 l | sophorone diamine |
| Oral | DNEL | 0.526 mg/kg bw/Tag (ArL) |
| Inhalative | DNEL | 20.1 mg/m³ (ArL) |
| CAS: 394 | 23-51-3 | Polyoxypropylentriamin |
| Inhalative | DNEL | 14 mg/m³ (ArL) |
| CAS: 140 | -31-8 2- | piperazin-1-ylethylamine |
| Dermal | DNEL | 3.33 mg/kg bw/day (ArL) |
| Inhalative | DNEL | 10.6 mg/m³ (ArL) |
| CAS: 100 | -51-6 B | enzyl alcohol |
| Oral | DNEL | 4 mg/kg bw/Tag (ArL) |
| | | 20 mg/kg bw/Tag (Ark) |
| | | (Contd. on page 5) |

(Contd. on page 5)





Printing date 09.02.2024 Version number 30 (replaces version 29) Revision: 09.02.2024

Trade name BRAWO AC - Komponente B

| | | | (Contd. of pa |
|----------|---------------------------------------|-------------------------------|---------------|
| Derma | DNEL | 8 mg/kg bw/day (ArL) | , |
| | | 40 mg/kg bw/day (Ark) | |
| Inhalati | ve DNEL | 22 mg/m³ (ArL) | |
| | | 110 mg/m³ (Ark) | |
| PNECS | i | | |
| CAS: 2 | 855-13-2 | sophorone diamine | |
| PNEC | 0.006 mg/ | (Mew) | |
| | 0.06 mg/l | (Freshwater) | |
| PNEC | 0.578 mg/ | kg dwt (Sediment) | |
| | 5.784 mg/ | kg dwt (Fresh water sediment) | |
| CAS: 3 | 9423-51-3 | Polyoxypropylentriamin | |
| PNEC | 10 mg/l (S | ewage Treatment Plant) | |
| | 0.00044 mg/l (Mew) | | |
| | 0.0044 mg/l (Freshwater) | | |
| PNEC | 0.002 mg/ | kg dwt (Bod) | |
| | 0.002 mg/kg dwt (Sediment) | | |
| | 0.02 mg/k | g dwt (Fresh water sediment) | |
| | | piperazin-1-ylethylamine | |
| PNEC | 250 mg/l (| Kla) | |
| | 0.0058 mg | g/l (Mew) | |
| | 0.058 mg/ | l (Freshwater) | |
| PNEC | 1 mg/kg d | wt (Bod) | |
| | 21.5 mg/k | g dwt (Sediment) | |
| | 215 mg/kg dwt (Fresh water sediment) | | |
| CAS: 1 | 00-51-6 B | enzyl alcohol | |
| PNEC | 0.527 mg/ | l (Marine water sediment) | |
| | 0.1 mg/l (l | Леw) | |
| | 1 mg/l (Fr | esh water sediment) | |
| PNEC | 0.456 mg/ | kg dwt (Bod) | |
| | 5.27 mg/kg dwt (Fresh water sediment) | | |

· 8.2 Exposure controls · Appropriate engineering

controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and

hygienic measures Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.

Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.

· Hand protection Protective gloves.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics. (Contd. on page 6)





Printing date 09.02.2024 Version number 30 (replaces version 29) Revision: 09.02.2024

Trade name BRAWO AC - Komponente B

(Contd. of page 5)

• Material of gloves The selection of the suitable gloves does not only depend on the

material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

· Penetration time of glove

material

The exact breakthrough time must be obtained from the protective

glove manufacturer and must be observed.

Eye/face protection
 Body protection:
 Tightly sealed safety glasses.
 Protective work clothing.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Colour: Whitish
 Smell: Amine-like
 Melting point/freezing point: Not determined

· Boiling point or initial boiling point and

boiling range 232 °C
• Flash point: 110 °C
• Auto-ignition temperature: 380 °C

· **pH** Not applicable.

Not determined.

· Viscosity:

· Kinematic viscosity Not determined. · dynamic: Not determined.

Solubility

· Water: Not miscible or difficult to mix

· Steam pressure at 20 °C: 0.1 hPa

· Density and/or relative density

· Density at 20 °C 0.95 g/cm³

· 9.2 Other information

· Appearance:

· Form: Fluid

Important information on protection of health

and environment, and on safety.

Self-inflammability: Product is not selfigniting.
 Explosive properties: Product is not explosive.

· Information with regard to physical hazard

classes · Explosives Void Flammable gases Void Void · Aerosols Void · Oxidising gases · Gases under pressure Void Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void

(Contd. on page 7)





Printing date 09.02.2024 Version number 30 (replaces version 29) Revision: 09.02.2024

Trade name BRAWO AC - Komponente B

| | | (Contd. of page 6) |
|---------------------------------------|------|--------------------|
| · Pyrophoric liquids | Void | |
| Pyrophoric solids | Void | |
| Self-heating substances and mixtures | Void | |
| Substances and mixtures, which emit | | |
| flammable gases in contact with water | Void | |
| · Oxidising liquids | Void | |
| · Oxidising solids | Void | |
| · Organic peroxides | Void | |
| Corrosive to metals | Void | |
| Desensitised explosives | Void | |

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

10.2 Chemical stability
Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known

10.4 Conditions to avoid
 10.5 Incompatible materials:
 No further relevant information available.

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Harmful if swallowed.

Harmful in contact with skin.

| CAS: 28 | 55-13-2 Isophoro | ne diamine | |
|----------|-------------------|-------------------------|--|
| Oral | LD50 | 1030 mg/kg (ATE) | |
| | | 1030 mg/kg (rat) | |
| | NOAEL | 250 mg/kg (rat) | |
| Dermal | LD50 | 1840 mg/kg (rabbit) | |
| | | >2000 mg/kg (rat) | |
| CAS: 394 | 123-51-3 Polyoxy | propylentriamin | |
| Oral | LD50 | 550 mg/kg (rat) | |
| Dermal | LD50 | >1000 mg/kg (rat) | |
| CAS: 140 | 0-31-8 2-piperazi | n-1-ylethylamine | |
| Oral | LD50 | 2000-5000 mg/kg (rat) | |
| | | 500 mg/kg (rabbit) | |
| Dermal | LD50 | 200-1000 mg/kg (rabbit) | |
| CAS: 100 | 0-51-6 Benzyl alc | ohol | |
| Oral | LD50 | 1230 mg/kg (rat) | |

- GE





Version number 30 (replaces version 29) Printing date 09.02.2024 Revision: 09.02.2024

Trade name BRAWO AC - Komponente B

(Contd. of page 7)

NOAEL 2nd year study 200 mg/kg (mouse) 200 mg/kg (rat) Dermal LD50 2000 mg/kg (rabbit) Inhalative LC50/4 h >4178 mg/l (rat)

· Skin corrosion/irritation Causes severe skin burns and eye damage.

· Serious eye damage/irritation Causes serious eye damage.

· Respiratory or skin

sensitisation May cause an allergic skin reaction.

· Germ cell mutagenicity Based on available data, the classification criteria are not met. · Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Suspected of damaging fertility. Suspected of damaging the unborn

child.

STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure May cause damage to organs through prolonged or repeated

exposure.

· Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

| · Aquatic to | xicity: |
|--------------|------------------------------------|
| CAS: 2855 | -13-2 Isophorone diamine |
| LC50/96h | 110 mg/l (Leucidus idus) |
| EC50 | 1120 mg/l (Pseudomonas putida) |
| EC50/48h | 23 mg/l (Daphnia magna) |
| NOEC | 1.5 mg/l (Desmodesmus subspicatus) |
| | 3 mg/l (Daphnia magna) |
| ErC50/72h | >50 mg/l (Desmodesmus subspicatus) |
| CAS: 3942 | 3-51-3 Polyoxypropylentriamin |
| LC50/96h | >100 mg/l (Oncorhynchus mykiss) |
| EC50/48h | 13 mg/l (Daphnia magna) |
| ErC50/72h | 4.4 mg/l (algae) |
| CAS: 140-3 | 31-8 2-piperazin-1-ylethylamine |
| EC50/72h | >1000 mg/l (algae) |
| LC50/96h | 2190 mg/l (fish) |
| CAS: 100- | 51-6 Benzyl alcohol |
| IC50/72h | 700 mg/l (algae) |
| LC50/96h | 460 mg/l (Pimephales promelas) |
| | 10 mg/l (Lepomis macrochirus) |
| 12.2 Persis | tence and |

No further relevant information available. degradability

· 12.3 Bioaccumulative

No further relevant information available. potential

(Contd. on page 9)





Version number 30 (replaces version 29) Revision: 09.02.2024 Printing date 09.02.2024

Trade name BRAWO AC - Komponente B

(Contd. of page 8)

No further relevant information available. · 12.4 Mobility in soil

· 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

· 12.6 Endocrine disrupting

properties The product does not contain substances with endocrine disrupting

properties.

· 12.7 Other adverse effects

· Remark: Toxic for fish

· Additional ecological information:

· General notes: Toxic for aquatic organisms

Must not reach sewage water or drainage ditch undiluted or

unneutralised.

Also poisonous for fish and plankton in water bodies.

Do not allow product to reach ground water, water bodies or

sewage system.

Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

Uncleaned packagings:

· Recommendation: Dispose of packaging according to regulations on the disposal of

packagings.

Empty contaminated packagings thoroughly. They can be recycled

after thorough and proper cleaning.

| 14.1 UN number or ID number ADR, IMDG, IATA | UN2735 |
|---|--|
| 14.2 UN proper shipping name ADR, IMDG, IATA | AMINES, LIQUID, CORROSIVE, N.O. (Isophorone diamine, Polyoxypropylentriamin) |
| 14.3 Transport hazard class(es) | |
| ADR | |
| Class | 8 (C7) Corrosive substances. |
| Label | 8 |
| IMDG, IATA | |
| Class | 8 Corrosive substances. |
| Label | 8 |
| 14.4 Packing group | |
| ADR, IMDG, IATA | II |





Printing date 09.02.2024 Version number 30 (replaces version 29) Revision: 09.02.2024

Trade name BRAWO AC - Komponente B

| | (Contd. of page |
|--|---|
| · 14.5 Environmental hazards: · Marine pollutant: | No |
| 14.6 Special precautions for user | Warning: Corrosive substances. |
| Kemler Number: | 80 |
| EMS Number: | F-A,S-B |
| Segregation groups | (SGG18) Alkalis |
| Stowage Category | Ä |
| Segregation Code | SG35 Stow "separated from" SGG1-acids |
| 14.7 Maritime transport in bulk accordi | ina to |
| IMO instruments | Not applicable. |
| Transport/Additional information: | |
| · ADR | |
| Limited quantities (LQ) | 1L |
| Excepted quantities (EQ) | Code: E2 |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 500 m |
| Transport category | 2 |
| Tunnel restriction code | Ē |
| MDG | |
| Limited quantities (LQ) | 11 |
| Excepted quantities (EQ) | Code: E2 |
| Excepted qualitities (EQ) | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per inner packaging: 50 m Maximum net quantity per outer packaging: 500 m |
| | |
| UN "Model Regulation": | UN 2735 AMINES, LIQUID, CORROSIVE, N.O. |
| | (ISOPHORONE DIAMINE |
| | POLYOXYPROPYLENTRIAMIN), 8, II |

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/ legislation specific for the

substance or mixture No further relevant information available.

· Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

(Contd. on page 11)





Printing date 09.02.2024 Version number 30 (replaces version 29) Revision: 09.02.2024

Trade name BRAWO AC - Komponente B

(Contd. of page 10)

· 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Relevant phrases H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H361fd Suspected of damaging fertility. Suspected of damaging

the unborn child.

H372 Causes damage to organs through prolonged or repeated

exposure.

H411 Toxic to aquatic life with long lasting effects.H412 Harmful to aquatic life with long lasting effects.

Department issuing data

specification sheet: Environment protection department.

Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B Repr. 2: Reproductive toxicity – Category 2

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic

hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic

hazard - Category 3

* Data compared to the previous version altered.