

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.02.2024

Version number 15 (replaces version 14)

Revision: 09.02.2024

Page 1/11

SECTION 1: Identification of the substance/mixture and of the company/ undertaking · 1.1 Product identifier · Trade name BRAWO I / III / SRR - Komponente A • 1.2 Relevant identified uses of the substance or mixture and uses advised against · Sector of Use SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) · Application of the substance / the mixture Epoxy sealing · 1.3 Details of the supplier of the safety data sheet BRAWO SYSTEMS GmbH · Manufacturer/Supplier: Blechhammerweg 13-17 67659 Kaiserslautern Deutschland/Germany Tel: +49(0)631-205 61 100 · Informing department: Technische Abteilung msds@brawoliner.de · 1.4 Emergency telephone number: +49 (0) 61 31 - 19 240 (Giftnotruf Mainz) **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 H315 Causes skin irritation. Skin Irrit. 2

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

# <sup>•</sup> 2.2 Label elements

- · Labelling according to
- **Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.

GHS07 GHS09
Warning
, and the second s
epoxide derivates Reaction mass of 2,2'-[methylenebis(4,1-phenyleneoxymethylene)] dioxirane and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl) oxirane and 2,2'-[methylenebis(2,1-phenyleneoxymethylene)] dioxirane
Reaction products of hexane-1,6-diol with 2-(chloromethyl)oxirane (1:2) maleic anhydride
oxirane, mono[(C12-14-alkyloxy)methyl] derivs
H315 Causes skin irritation.
(Contd. on page 2)



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.02.2024

Version number 15 (replaces version 14)

Revision: 09.02.2024

Trade name BRAWO I / III / SRR - Komponente A

		(Contd. of page 1)
	H319 Causes se	erious eye irritation.
	H317 May cause	e an allergic skin reaction.
	H411 Toxic to a	quatic life with long lasting effects.
<ul> <li>Precautionary statements</li> </ul>	P101	If medical advice is needed, have product
		container or label at hand.
	P102	Keep out of reach of children.
	P103	Read carefully and follow all instructions.
	P261	Avoid breathing dust/fume/gas/mist/vapours/
		spray.
	P273	Avoid release to the environment.
	P280	Wear protective gloves / eye protection / face
		protection.
	P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for
		several minutes. Remove contact lenses, if
		present and easy to do. Continue rinsing.
	P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
	P501	Dispose of contents/container in accordance
		with local/regional/national/international regulations.
· Additional information:	EUH205 Contai	ns epoxy constituents. May produce an allergic
	reaction	
· 2.3 Other hazards		
• Results of PBT and vPvB as	sessment	
· PBT;	Not applicable.	
· vPvB:	Not applicable.	

# SECTION 3: Composition/information on ingredients

# · 3.2 Mixtures

<ul> <li>Description:</li> </ul>	Mixture consisting of the following components.	
· Dangerous componer	nts:	
CAS: 1675-54-3	epoxide derivates	60-80%
EINECS: 216-823-5	Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317, EUH205	
CAS: 9003-36-5 EC number: 701-263-0	Reaction mass of 2,2'-[methylenebis(4,1- phenyleneoxymethylene)]dioxirane and 2-({2-[4-(oxiran-2- ylmethoxy)benzyl]phenoxy}methyl)oxirane and 2,2'- [methylenebis(2,1-phenyleneoxymethylene)]dioxirane	<i>≥</i> 10-<25%
	Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 933999-84-9	Reaction products of hexane-1,6-diol with 2-(chloromethyl) oxirane (1:2)	<i>≥</i> 2.5-<10%
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412	
	(C	ontd. on page



# Safety data sheet according to 1907/2006/EC, Article 31

Version number 15 (replaces version 14)

Revision: 09.02.2024

Page 3/11

# Trade name BRAWO I / III / SRR - Komponente A

	()	Contd. of page 2)
CAS: 68609-97-2	oxirane, mono[(C12-14-alkyloxy)methyl] derivs	<i>≥</i> 0.1-<0.5%
EINECS: 271-846-8	Skin Irrit. 2, H315; Skin Sens. 1, H317, EUH205	
CAS: 108-31-6	maleic anhydride	<0.001%
EINECS: 203-571-6	Resp. Sens. 1, H334; STOT RE 1, H372; Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Sens. 1A, H317, EUH071 Specific concentration limit: Skin Sens. 1A; H317: $C \ge 0.001$ %	
· Additional information	For the wording of the listed hazard phrases refer to s	ection 16.

# **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

After inhalationSupply fresh air; consult doctor in case of symptoms.After skin contactThe product is not skin irritating.After eye contactSeek medical treatment.After swallowingRinse out mouth and then drink plenty of water.<br/>Seek medical treatment.

# **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

• Suitable extinguishing agents Use fire fighting measures that suit the environment.

- 5.2 Special hazards arising from the substance or mixture
   5.3 Advice for firefighters
- · Protective equipment:

No further relevant information available.

No special measures required.

- SECTION 6: Accidental release measures
- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
   6.2 Environmental precautions: Dilute with much water.
   6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
   6.4 Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

# **SECTION 7: Handling and storage**

 7.1 Precautions for safe handling

Open and handle container with care.

(Contd. on page 4)

GB



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.02.2024

Version number 15 (replaces version 14)

Revision: 09.02.2024

### Trade name BRAWO I / III / SRR - Komponente A

(Contd. of page 3)

against explosions and fires: No special measures required.

# · 7.2 Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by

· Information about protection

- storerooms and containers: No special requirements.
- · Information about storage in
- one common storage facility: Not required.
- · Further information about None.
- storage conditions: 10
- Storage class

# SECTION 8: Exposure controls/personal protection

·	8.1	Control	parameters
---	-----	---------	------------

· Components with critical values that require monitoring at the workplace:

CAS:	108-31-6	maleic	anhydride
------	----------	--------	-----------

WEL Short-term value: 3 mg/m<sup>3</sup> Long-term value: 1 mg/m<sup>3</sup> Sen

### DNELs

CAS: 68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs

DNEL 1 mg/kg bw/Tag (ArL) Oral

DNEL 1.7 mg/kg bw/day (ArL) Dermal Inhalative DNEL 0.98 mg/m<sup>3</sup> (ArL)

# · PNECs

controls

CAS: 68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs

PNEC 0.00072 mg/l (Mew)

0.0072 mg/l (Freshwater)

PNEC 80.12 mg/kg dwt (Bod)

6.677 mg/kg dwt (Sediment)

66.77 mg/kg dwt (Fresh water sediment)

The lists that were valid during the compilation were used as basis.

- · Additional information: · 8.2 Exposure controls
- Appropriate engineering

No further data; see section 7.

- · Individual protection measures, such as personal protective equipment
- · General protective and
- Wash hands during breaks and at the end of the work. hygienic measures
- · Hand protection Protective gloves.
- The selection of the suitable gloves does not only depend on the · Material of gloves material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

GB



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.02.2024

Version number 15 (replaces version 14)

Revision: 09.02.2024

### Trade name BRAWO I / III / SRR - Komponente A

 

 • Penetration time of glove material
 (Contd. of page 4)

 • Penetration time of glove material
 The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.

 • Eye/face protection
 Not required.

 • Body protection:
 Impervious protective clothing

### **SECTION 9: Physical and chemical properties** · 9.1 Information on basic physical and chemical properties · General Information · Physical state Fluid · Colour: Whitish · Smell: Characteristic · Odour threshold: Not determined. · Melting point/freezing point: Not determined · Boiling point or initial boiling point and boiling range >320 °C (CAS: 1675-54-3 epoxide derivates) Not applicable. · Flammability · Lower and upper explosion limit Not determined. · Lower: · Upper: Not determined. · Flash point: 149 °C 455 °C (CAS: 1675-54-3 epoxide derivates) · Auto-ignition temperature: · Decomposition temperature: Not determined. Mixture is non-soluble (in water). · pH Not determined. · Viscosity: Not determined. · Kinematic viscosity · dynamic: Not determined. · Solubility · Water: Fully miscible · Partition coefficient n-octanol/water (log Not determined. value) Steam pressure at 20 °C: 0 hPa (CAS: 1675-54-3 epoxide derivates) · Density and/or relative density · Density at 20 °C 1.14 g/cm<sup>3</sup> Not determined. Relative density Not determined. Vapour density · 9.2 Other information · Appearance: · Form: Fluid · Important information on protection of health and environment, and on safety. Self-inflammability: Product is not selfigniting. Explosive properties: Product is not explosive. · Change in condition · Evaporation rate Not determined. · Information with regard to physical hazard classes Explosives Void (Contd. on page 6)

Page 5/11



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.02.2024

Version number 15 (replaces version 14)

Revision: 09.02.2024

# Trade name BRAWO I / III / SRR - Komponente A

		(Contd. of page
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

# SECTION 10: Stability and reactivity

<ul> <li>10.1 Reactivity</li> <li>10.2 Chemical stability</li> <li>Thermal decomposition /</li> </ul>	No further relevant information available. stable
conditions to be avoided: 10.3 Possibility of hazardous	No decomposition if used according to specifications.
reactions	No dangerous reactions known
<ul> <li>10.4 Conditions to avoid</li> <li>10.5 Incompatible materials:</li> </ul>	No further relevant information available. No further relevant information available.
10.6 Hazardous	No dependence dependencia producto (mour
decomposition products:	No dangerous decomposition products known

# **SECTION 11: Toxicological information**

	Acute toxicity Based on available data, the classification criteria are not met.			
CAS: 1675-54-3 epoxide derivates				
Dermal	LD50	23000 mg/kg (rabbit)		
CAS: 90	003-36	-5 Reaction mass of 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]dioxirane and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane and 2,2'		
		[methylenebis(2,1-phenyleneoxymethylene)]dioxirane		
Oral	LD50	<pre>&gt;2000 mg/kg (rat)</pre>		
Dermal	LD50	>2000 mg/kg (rat)		
Dermal CAS: 68	LD50 8 <b>609-9</b>	>2000 mg/kg (rat) >2000 mg/kg (rabbit)		
Dermal CAS: 68 Oral	LD50 <b>3609-9</b> LD50	>2000 mg/kg (rat) >2000 mg/kg (rabbit) <b>7-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs</b>		
Dermal CAS: 68 Oral CAS: 10	LD50 8 <b>609-9</b> LD50 0 <b>8-31-6</b>	>2000 mg/kg (rat) >2000 mg/kg (rabbit) <b>7-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs</b> 17100 mg/kg (rat)		

Page 6/11



# Safety data sheet according to 1907/2006/EC, Article 31

Version number 15 (replaces version 14)

Revision: 09.02.2024

(Contd. of page 6)

List II

Trade name BRAWO I / III / SRR - Komponente A

- Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin
- sensitisation May cause an allergic skin reaction.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties
- CAS: 128-37-0 2,6-Di-tert-butyl-p-cresol

SECTION	12: Ecologica	l information
· 12.1 Toxici	ty	
· Aquatic tox	cicity:	
CAS: 1675-	54-3 epoxide deri	vates
IC50	>42.6 mg/l (Bak)	
LC50/96h	2 mg/l (Oncorhynd	hus mykiss)
EC50/48h	1.8 mg/l (Daphnia magna)	
	11 mg/l (Selenastrum capricornutum)	
CAS: 9003-	and 2-({2-[4-	ss of 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]dioxirane (oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane and 2,2'- is(2,1-phenyleneoxymethylene)]dioxirane
LC50/96h	>100 mg/l (Daphn	ia magna)
EC50/96h	>100 mg/l (Leucid	us idus)
CAS: 68609	)-97-2 oxirane, mo	no[(C12-14-alkyloxy)methyl] derivs
EbC50/72h	843 mg/l (Pseudol	kirchneriella subcapitata)
LC50/96h	>5000 mg/l (Onco	rhynchus mykiss)
	1800 mg/l (Lepom	is macrochirus)
EC50	>100 mg/l (BEL)	,
NOEC	• • • •	kirchneriella subcapitata)
· 12.2 Persis	• •	
degradabili · 12.3 Bioaco		No further relevant information available.
potential		No further relevant information available.
· 12.4 Mobili		No further relevant information available.
	s of PBT and vPv	
· PBT:		Not applicable.
· vPvB:	rine disrupting	Not applicable.
properties	ine disrupting	For information on endocrine disrupting properties see section 11.
	adverse effects	
	ecological inform	ation:
<sup>.</sup> General no		Do not allow product to reach ground water, water bodies of sewage system.
		Danger to drinking water if even small quantities leak into soil.

(Contd. on page 8)

Page 7/11



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.02.2024

Version number 15 (replaces version 14)

Revision: 09.02.2024

## Trade name BRAWO I / III / SRR - Komponente A

(Contd. of page 7)

Page 8/11

# SECTION 13: Disposal considerations · 13.1 Waste treatment methods · Recommendation Must not be disposed of together with household garbage. Do not allow product to reach sewage system. · Uncleaned packagings: Dispose of packaging according to regulations on the disposal of packagings. Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning. · Recommended cleaning agent: Water, if necessary with cleaning agent.

# SECTION 14: Transport information

• 14.1 UN number or ID number • ADR, IMDG, IATA	UN3082
14.2 UN proper shipping name ADR, IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxide derivates Reaction mass of 2,2'-[methylenebis(4,1 phenyleneoxymethylene)]dioxirane and 2-({2-[4 (oxiran-2-ylmethoxy)benzyl]phenoxy}methyl oxirane and 2,2'-[methylenebis(2,1 phenyleneoxymethylene)]dioxirane) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxide derivates Reaction mass of 2,2'-[methylenebis(4,1 phenyleneoxymethylene)]dioxirane and 2-({2-[4 (oxiran-2-ylmethoxy)benzyl]phenoxy}methyl oxirane and 2,2'-[methylenebis(2,1 phenyleneoxymethylene)]dioxirane), MARINE POLLUTANT
14.3 Transport hazard class(es)	
ADR	
Class	9 (M6) Miscellaneous dangerous substances an articles.
Label	9
· IMDG, IATA	
Class	9 Miscellaneous dangerous substances an articles.
Label	9
· 14.4 Packing group · ADR, IMDG, IATA	<i>III</i>
14.5 Environmental hazards: Marine pollutant:	Yes Symbol (fish and tree)
	(Contd. on page



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.02.2024

Version number 15 (replaces version 14)

Revision: 09.02.2024

Page 9/11

# Trade name BRAWO I / III / SRR - Komponente A

	(Contd. of page
<ul> <li>Special marking (ADR):</li> <li>Special marking (IATA):</li> </ul>	Symbol (fish and tree) Symbol (fish and tree)
<sup>.</sup> 14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
· Kemler Number:	90
· EMS Number:	F-A,S-F
· Stowage Category	A
<ul> <li>14.7 Maritime transport in bulk accordi IMO instruments</li> </ul>	ing to Not applicable.
· Transport/Additional information:	
ADR Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 100 ml
<ul> <li>Transport category</li> <li>Tunnel restriction code</li> </ul>	3 (-)
<sup>.</sup> IMDG <sup>.</sup> Limited quantities (LQ) <sup>.</sup> Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 100 ml
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXIDI DERIVATES, REACTION MASS OF 2,2 [ M E T H Y L E N E B I S ( 4 , 1 PHENYLENEOXYMETHYLENE)]DIOXIRANE AND 2-({2-[4-(OXIRAN-2-YLMETHOXY)BENZYL PHENOXY}METHYL)OXIRANE AND 2,2 [ M E T H Y L E N E B I S ( 2 , 1 PHENYLENEOXYMETHYLENE)]DIOXIRANE), 9 III

# **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act

· Regulated ex	plosives	precursors
----------------	----------	------------

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

# Reportable explosives precursors

None of the ingredients is listed.

(Contd. on page 10)

GB



# Safety data sheet according to 1907/2006/EC, Article 31

Version number 15 (replaces version 14)

Revision: 09.02.2024

Page 10/11

# Trade name BRAWO I / III / SRR - Komponente A

	(Contd. of page 9
· Reportable poisons	
None of the ingredients is listed	-
· Directive 2012/18/EU	
· Named dangerous	
substances - ANNEX I	None of the ingredients is listed.
· Seveso category	E2 Hazardous to the Aquatic Environment
· Qualifying quantity (tonnes)	,
for the application of lower-	
tier requirements	200 t
Qualifying quantity (tonnes)	
for the application of upper-	
tier requirements	500 t
· 15.2 Chemical safety	
assessment:	A Chemical Safety Assessment has not been carried out.

SECTION 16: Other infor	malion		
Relevant phrases	H302	Harmful if swallowed.	
-	H314	Causes severe skin burns and eye damage.	
	H315	Causes skin irritation.	
		May cause an allergic skin reaction.	
	H318	Causes serious eye damage.	
	H319	Causes serious eye irritation.	
	H334	May cause allergy or asthma symptoms or breath difficulties if inhaled.	
	H372	Causes damage to organs through prolonged or repeat exposure.	
	H411	Toxic to aquatic life with long lasting effects.	
	H412	Harmful to aquatic life with long lasting effects.	
	EUH071	Corrosive to the respiratory tract.	
		Contains epoxy constituents. May produce an aller reaction.	
Abbreviations and acronyms:	RID: Règlement international concernant le transport des marchandis		
	dangereuses par chemin de fer (Regulations Concerning the Internation Transport of Dangerous Goods by Rail)		
	ICAO: International Civil Aviation Organisation		
	ADR: Accord relatif au transport international des marchandises dangereuses route (European Agreement Concerning the International Carriage of Danger		
	Goods by Road) IMDG: International Maritime Code for Dangerous Goods		
	IATA: International Air Transport Association		
	GHS: Globally Harmonised System of Classification and Labelling of Chemicals		
	EINECS: European Inventory of Existing Commercial Chemical Substances		
	ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)		
	DNEL: Derived No-Effect Level (UK REACH)		
		dicted No-Effect Concentration (UK REACH)	
		nal concentration, 50 percent	
		nal dose, 50 percent istent, Bioaccumulative and Toxic	
		Persistent and very Bioaccumulative	
		4: Acute toxicity – Category 4	
		1B: Skin corrosion/irritation – Category 1B 2: Skin corrosion/irritation – Category 2	
		1: Serious eye damage/eye irritation – Category 1	
		(Contd. on page	

GB



# Safety data sheet according to 1907/2006/EC, Article 31

Version number 15 (replaces version 14)

Revision: 09.02.2024

Trade name BRAWO I / III / SRR - Komponente A

(Contd. of page 10) Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Resp. Sens. 1: Respiratory sensitisation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1A STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3



GB