

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.02.2024

Version number 16 (replaces version 15)

Revision: 09.02.2024

Page 1/11

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

· Trade name

BRAWO SRR - Komponente A

- 1.2 Relevant identified uses of the substance or mixture and uses advised against • Sector of Use SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- Application of the substance
 / the mixture
 Epoxy curi
 - Epoxy curing agent
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: BRAWO SYSTEMS GmbH Blechhammerweg 13-17 67659 Kaiserslautern Deutschland/Germany
- Tel: +49(0)631-205 61 100• Informing department:Technische Abteilung
msds@brawoliner.de
- 1.4 Emergency telephone number:

+49 (0) 61 31 - 19 240 (Giftnotruf Mainz)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

- · Classification according to Regulation (EC) No 1272/2008
- Skin Irrit. 2 H315 Causes skin irritation.
- *Eye Irrit.* 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

[•] 2.2 Label elements

- Labelling according to
- **Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.
- · Hazard pictograms GHS07 GHS09 · Signal word Warning · Hazard-determining components of labelling: epoxide derivates Reaction mass of 2,2'-[methylenebis(4,1-phenyleneoxymethylene)] dioxirane and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl) oxirane and 2,2'-[methylenebis(2,1-phenyleneoxymethylene)] dioxirane Reaction products of hexane-1,6-diol with 2-(chloromethyl)oxirane (1:2)maleic anhydride oxirane, mono[(C12-14-alkyloxy)methyl] derivs · Hazard statements H315 Causes skin irritation. (Contd. on page 2)
 - GB



Printing date 09.02.2024

Version number 16 (replaces version 15)

Revision: 09.02.2024

Trade name BRAWO SRR - Komponente A

		(Contd. of page 1)
	H319 Causes s	erious eye irritation.
	H317 May caus	se an allergic skin reaction.
		aquatic life with long lasting effects.
 Precautionary statements 	P261	Avoid breathing dust/fume/gas/mist/vapours/
····· · · · · · · · · · · · · · · · ·	-	spray.
	P273	Avoid release to the environment.
	P280	Wear protective gloves / eye protection / face protection.
	P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
	P337+P313	If eye irritation persists: Get medical advice/ attention.
· Additional information:		oid risks to human health and the environment, y with the instructions for use.
	EUH205 Conta reactio	ins epoxy constituents. May produce an allergic on.
· 2.3 Other hazards		
· Results of PBT and vPvB as	sessment	
· PBT:	Not applicable.	
· vPvB:	Not applicable.	

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures · Description:

Mixture consisting of the following components.

CAS: 1675-54-3	epoxide derivates	60-80%
EINECS: 216-823-5	Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317, EUH205	
CAS: 9003-36-5 EC number: 701-263-0	Reaction mass of 2,2'-[methylenebis(4,1- phenyleneoxymethylene)]dioxirane and 2-({2-[4-(oxiran-2- ylmethoxy)benzyl]phenoxy}methyl)oxirane and 2,2'- [methylenebis(2,1-phenyleneoxymethylene)]dioxirane Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317	<i>≥</i> 10-<25%
CAS: 933999-84-9	Reaction products of hexane-1,6-diol with 2-(chloromethyl) oxirane (1:2) Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412	<i>≥</i> 2.5-<10%
CAS: 68609-97-2 EINECS: 271-846-8	oxirane, mono[(C12-14-alkyloxy)methyl] derivs Skin Irrit. 2, H315; Skin Sens. 1, H317, EUH205	<i>≥</i> 0.1-<0.5%
CAS: 108-31-6 EINECS: 203-571-6	maleic anhydride Resp. Sens. 1, H334; STOT RE 1, H372; Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Sens. 1A, H317, EUH071 Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.001 %	<0.001%

Page 2/11



Printing date 09.02.2024

Version number 16 (replaces version 15)

Revision: 09.02.2024

Page 3/11

Trade name BRAWO SRR - Komponente A

· Additional information

(Contd. of page 2) For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first a	id measures
After inhalation	Supply fresh air and call for doctor for safety reasons.
	In case of unconsciousness bring patient into stable side position
	for transport.
 After skin contact 	Instantly wash with water and soap and rinse thoroughly.
 After eye contact 	Seek medical treatment.
-	Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
· After swallowing	Rinse out mouth and then drink plenty of water.
5	Seek medical treatment.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- 5.2 Special hazards arising from the substance or mixture
 5.3 Advice for firefighters

No further relevant information available.

· Protective equipment:

No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and	
emergency procedures · 6.2 Environmental	Not required.
precautions:	Inform respective authorities in case product reaches water or sewage system.
	Dilute with much water.
 6.3 Methods and material for 	
containment and cleaning up	D: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
[.] 6.4 Reference to other	
sections	See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

 7.1 Precautions for safe handling

Open and handle container with care. Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 4)

GB



Printing date 09.02.2024

Version number 16 (replaces version 15)

Revision: 09.02.2024

Page 4/11

Trade name BRAWO SRR - Komponente A

		(Contd. of page 3
· Information about protection	Prevent formation of aerosols.	
against explosions and fires:	No special measures required.	
· 7.2 Conditions for safe storag	e, including any incompatibilities	
[.] Storage		
[.] Requirements to be met by		
storerooms and containers:	No special requirements.	
Information about storage in		
one common storage facility:	Not required.	
Further information about		
storage conditions:	Keep container tightly sealed.	
· Storage class	10	

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical va	alues that require monitorin	a at the workplace:

CAS: 108-31-6 maleic anhydride

WEL Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ Sen

· DNELs

CAS: 68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs

OralDNEL1 mg/kg bw/Tag (ArL)DermalDNEL1.7 mg/kg bw/day (ArL)InhalativeDNEL0.98 mg/m³ (ArL)

· PNECs

CAS: 68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs

PNEC 0.00072 mg/l (Mew)

0.0072 mg/l (Freshwater)

PNEC 80.12 mg/kg dwt (Bod)

6.677 mg/kg dwt (Sediment)

66.77 mg/kg dwt (Fresh water sediment)

Additional information:

rmation: The lists that were valid during the compilation were used as basis.

 8.2 Exposure controls
 Appropriate engineering controls

No further data; see section 7.

· Individual protection measures, such as personal protective equipment

General protective and

hygienic measures	Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments.
	Wash hands during breaks and at the end of the work.
	Avoid contact with the eyes and skin.
 Breathing equipment: 	Not required.
· Hand protection	Protective gloves.
•	Selection of the glove material on consideration of the penetration
	times, rates of diffusion and the degradation
	After use of gloves apply skin-cleaning agents and skin cosmetics.
	(Contd. on page 5)



Printing date 09.02.2024 Vers

Version number 16 (replaces version 15)

Revision: 09.02.2024

Trade name BRAWO SRR - Komponente A

(Contd. of page 4) · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed. · Eye/face protection Not required. Body protection: Impervious protective clothing Protective work clothing.

SECTION 9: Physical and chemical properties

General Information Physical state Fluid Colour: Whitish Smell: Characteristic Odour threshold: Not determined. Melting point/freezing point: Not determined. Boiling point or initial boiling point and boiling range >200 °C (CAS: 9003-36-5 2,2'-[methylenebis(p- phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700) Flammability Not applicable. Lower and upper explosion limit Not determined. Upper: Not determined. 'Jpper: Not determined. Upper: Not determined. 'Juper: Not determined. 'Vato-ignition temperature: 460 °C (CAS: 9003-36-5 2,2'-[methylenebis(p- phenyleneoxymethylene]]bisoxirane polymers and homologues, molecular weight < 700) Decomposition temperature: Not determined. 'pH Mixture is non-soluble (in water). Not determined. Not determined. 'Viscosity: Not determined. 'Kinematic viscosity Not determined. 'Solubility Fully miscible 'Partition coefficient n-octanol/water (log value) Not determined. 'Steam pressure at 20 °C: 0 hPa (CAS: 9003	9.1 Information on basic physical and chem	ical properties
Colour:WhitishSmell:CharacteristicOdour threshold:Not determined.Melting point/freezing point:Not determinedBoiling point or initial boiling point and boiling range>200 °C (CAS: 9003-36-5 2,2'-[methylenebis(p- phenyleneoxymethylene])bisoxirane polymers and homologues, molecular weight < 700)FlammabilityNot determined.Lower and upper explosion limitNot determined.Upper:Not determined.Upper:Not determined.Flash point:>93 °CAuto-ignition temperature:460 °C (CAS: 9003-36-5 2,2'-[methylenebis(p- phenyleneoxymethylene])bisoxirane polymers and homologues, molecular weight < 700)Decomposition temperature:Not determined.pHNot determined.Viscosity:Not determined.Kinematic viscosityNot determined.Water:Fully misciblePartition coefficient n-octanol/water (log value)Not determined.Steam pressure at 20 °C:0 hPa (CAS: 9003-36-5 2,2'-[methylenebis(p- phenyleneoxymethylene]]bisoxirane polymers and homologues, molecular weight < 700)Density and/or relative density0 hPa (CAS: 9003-36-5 2,2'-[methylenebis(p- phenyleneoxymethylene]]bisoxirane polymers and homologues, molecular weight < 700)		
 Smell: Odour threshold: Not determined. >200 °C (CAS: 9003-36-5 2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700) Flammability Lower and upper explosion limit Lower: Vot applicable. Vot determined. Upper: Not determined. Vigen: Auto-ignition temperature: PH Viscosity: Kinematic viscosity Viscosity: Kinematic viscosity Water: Solubility Water: Partition coefficient n-octanol/water (log value) Steam pressure at 20 °C: Density and/or relative density Density and/or relative density Density at 20 °C Interval and processing in the pressing and homologues, molecular weight < 700) 	•	
Odour threshold:Not determined.Melting point freezing point:Not determined.Boiling point or initial boiling point and boiling range>200 °C (CAS: 9003-36-5 2,2'-[methylenebis(p- phenyleneoxymethylene]]bisoxirane polymers and homologues, molecular weight < 700)FlammabilityNot determined.Lower and upper explosion limitNot determined.Upper:Not determined.Upper:Not determined.* Flash point:>93 °C* Auto-ignition temperature:A60 °C (CAS: 9003-36-5 2,2'-[methylenebis(p- phenyleneoxymethylene]]bisoxirane polymers and homologues, molecular weight < 700)Decomposition temperature:Not determined.• pHMixture is non-soluble (in water). Not determined.• Viscosity:Not determined.• Kinematic viscosityNot determined.• Water:Fully miscible• Partition coefficient n-octanol/water (log value)Not determined.• Density and/or relative density0 hPa (CAS: 9003-36-5 2,2'-[methylenebis(p- phenyleneoxymethylene]]bisoxirane polymers and homologues, molecular weight < 700)		
 Melting point/freezing point: Boiling point or initial boiling point and boiling range >200 °C (CAS: 9003-36-5 2,2'-[methylenebis(p- phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700) Flammability Lower and upper explosion limit Lower: Not determined. Yeash point: >93 °C Auto-ignition temperature: Ph Decomposition temperature: PH Viscosity: Kinematic viscosity Vot determined. Yeash point: Solubility Water: Partition coefficient n-octanol/water (log value) Density and/or relative density Density and/or relative density Density and/or relative density Density and/or relative density Density at 20 °C 		
Boiling point or initial boiling point and boiling range >200 °C (CAS: 9003-36-5 2,2'-[methylenebis(p- phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700) Flammability Not applicable. Lower and upper explosion limit Not determined. Upper: Not determined. Yato-ignition temperature: 460 °C (CAS: 9003-36-5 2,2'-[methylenebis(p- phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700) Decomposition temperature: 460 °C (CAS: 9003-36-5 2,2'-[methylenebis(p- phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700) Decomposition temperature: Not determined. pH Mixture is non-soluble (in water). Not determined. Viscosity: Not determined. Viscosity: Not determined. Water: Fully miscible Partition coefficient n-octanol/water (log value) Not determined. Steam pressure at 20 °C: 0 hPa (CAS: 9003-36-5 2, 2'-[methylenebis(p- phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700) Density and/or relative density 0 Density at 20 °C 1.1 g/cm³		Not determined.
boiling range>200 °C (CAS: 9003-36-5 2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700)		Not determined
Flammability phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700) Lower and upper explosion limit Not applicable. Lower: Not determined. Upper: Not determined. Flash point: >93 °C Auto-ignition temperature: 460 °C (CAS: 9003-36-5 2, 2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700) Decomposition temperature: Not determined. pH Mixture is non-soluble (in water). Not determined. Not determined. Yiscosity: Not determined. Kinematic viscosity Not determined. Water: Fully miscible Partition coefficient n-octanol/water (log value) Not determined. Steam pressure at 20 °C: 0 hPa (CAS: 9003-36-5 2, 2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700) Density and/or relative density Density and/or relative density Density at 20 °C 1.1 g/cm³		
Flammability and homologues, molecular weight < 700) Lower and upper explosion limit Not applicable. Lower: Not determined. Upper: Not determined. Flash point: >93 °C Auto-ignition temperature: 460 °C (CAS: 9003-36-5 2, 2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700) Decomposition temperature: Mixture is non-soluble (in water). pH Mixture is non-soluble (in water). Viscosity: Not determined. Kinematic viscosity Not determined. Viscosity: Not determined. Vater: Fully miscible Partition coefficient n-octanol/water (log value) Not determined. Steam pressure at 20 °C: 0 hPa (CAS: 9003-36-5 2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700) Density and/or relative density Density and/or relative density Density at 20 °C 1.1 g/cm³	boiling range	>200 °C (CAS: 9003-36-5 2,2'-[methylenebis(p-
Flammability Not applicable. Lower and upper explosion limit Not determined. Lower: Not determined. Upper: Not determined. Flash point: >93 °C Auto-ignition temperature: 460 °C (CAS: 9003-36-5 2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700) Decomposition temperature: Not determined. pH Mixture is non-soluble (in water). Viscosity: Not determined. Kinematic viscosity Not determined. dynamic: Not determined. Solubility Not determined. Water: Fully miscible Partition coefficient n-octanol/water (log value) Not determined. Steam pressure at 20 °C: 0 hPa (CAS: 9003-36-5 2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700) Density and/or relative density 0 hPa (CAS: 9003-36-5 2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700)		phenyleneoxymethylene)]bisoxirane polymers
Lower and upper explosion limitLower:Not determined.Upper:Not determined.Flash point:>93 °CAuto-ignition temperature:460 °C (CAS: 9003-36-5 2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700)Decomposition temperature:Not determined.pHMixture is non-soluble (in water). Not determined.Viscosity:Not determined.Kinematic viscosityNot determined.gynamic:Not determined.SolubilityFully misciblePartition coefficient n-octanol/water (log value)Not determined.Steam pressure at 20 °C:0 hPa (CAS: 9003-36-5 2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700)Density and/or relative density1.1 g/cm³		and homologues, molecular weight < 700)
Lower:Not determined.Upper:Not determined.Flash point:>93 °CAuto-ignition temperature:460 °C (CAS: 9003-36-5 2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700)Decomposition temperature:Not determined.pHMixture is non-soluble (in water). Not determined.Viscosity:Not determined.Kinematic viscosityNot determined.gynamic:Not determined.SolubilityFully misciblePartition coefficient n-octanol/water (log value)Not determined.Steam pressure at 20 °C:0 hPa (CAS: 9003-36-5 2, 2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700)Density and/or relative density1.1 g/cm³	· Flammability	Not applicable.
Upper:Not determined.Flash point:>93 °CAuto-ignition temperature:460 °C (CAS: 9003-36-5 2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700)Decomposition temperature:Not determined.pHMixture is non-soluble (in water). Not determined.Viscosity:Not determined.Kinematic viscosityNot determined.gynamic:Not determined.SolubilityFully misciblePartition coefficient n-octanol/water (log value)Not determined.Steam pressure at 20 °C:0 hPa (CAS: 9003-36-5 2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers 	Lower and upper explosion limit	
Flash point:>93 °CAuto-ignition temperature:460 °C (CAS: 9003-36-5 2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700)Decomposition temperature:Not determined.pHMixture is non-soluble (in water). Not determined.Viscosity:Not determined.Kinematic viscosityNot determined.ghamic:Not determined.SolubilityNot determined.Water:Fully misciblePartition coefficient n-octanol/water (log value)Not determined.Steam pressure at 20 °C:0 hPa (CAS: 9003-36-5 2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700)Density and/or relative density1.1 g/cm³	Lower:	Not determined.
Fash point:>93 °CAuto-ignition temperature:460 °C (CAS: 9003-36-5 2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700)Decomposition temperature:Not determined.pHMixture is non-soluble (in water). Not determined.Viscosity:Not determined.Kinematic viscosityNot determined.gynamic:Not determined.SolubilityFully misciblePartition coefficient n-octanol/water (log value)Not determined.Steam pressure at 20 °C:0 hPa (CAS: 9003-36-5 2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700)Density and/or relative density1.1 g/cm³	· Upper:	Not determined.
Auto-ignition temperature:460 °C (CAS: 9003-36-5 2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700)		>93 °C
Decomposition temperature:phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700)		460 °C (CAS: 9003-36-5 2,2'-[methylenebis(p-
Decomposition temperature:and homologues, molecular weight < 700)	5 1	
 Decomposition temperature: Not determined. pH Not determined. Viscosity: Not determined. Viscosity: Not determined. Vinamic: Not determined. Solubility Water: Fully miscible Partition coefficient n-octanol/water (log value) Not determined. Steam pressure at 20 °C: 0 hPa (CAS: 9003-36-5 2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700) Density and/or relative density Density at 20 °C 1.1 g/cm³ 		
 pH Mixture is non-soluble (in water). Not determined. Viscosity: Kinematic viscosity Vot determined. dynamic: Solubility Water: Partition coefficient n-octanol/water (log value) Steam pressure at 20 °C: Density and/or relative density Density at 20 °C 1.1 g/cm³ 	 Decomposition temperature: 	
Viscosity: Not determined. Kinematic viscosity Not determined. 'dynamic: Not determined. 'Solubility Not determined. 'Water: Fully miscible 'Partition coefficient n-octanol/water (log value) Not determined. 'Steam pressure at 20 °C: 0 hPa (CAS: 9003-36-5 2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700) 'Density and/or relative density 1.1 g/cm³	• •	Mixture is non-soluble (in water).
 Kinematic viscosity Kinematic viscosity Adynamic: Solubility Water: Partition coefficient n-octanol/water (log value) Steam pressure at 20 °C: Density and/or relative density Density at 20 °C Not determined. Not detetermined. Not determined. Not determi	P	
 Kinematic viscosity Kinematic viscosity Adynamic: Solubility Water: Partition coefficient n-octanol/water (log value) Steam pressure at 20 °C: Density and/or relative density Density at 20 °C Not determined. Not detetermined. Not determined. Not determi	· Viscosity:	
 · dynamic: Not determined. · Solubility · Water: Fully miscible · Partition coefficient n-octanol/water (log value) Not determined. · Steam pressure at 20 °C: O hPa (CAS: 9003-36-5 2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700) · Density and/or relative density · Density at 20 °C 1.1 g/cm³ 		Not determined.
 Solubility Water: Partition coefficient n-octanol/water (log value) Steam pressure at 20 °C: Density and/or relative density Density at 20 °C 	•	Not determined.
 Water: Fully miscible Partition coefficient n-octanol/water (log value) Not determined. Steam pressure at 20 °C: 0 hPa (CAS: 9003-36-5 2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700) Density and/or relative density Density at 20 °C 1.1 g/cm³ 		
 Partition coefficient n-octanol/water (log value) Steam pressure at 20 °C: Not determined. Not determined. 0 hPa (CAS: 9003-36-5 2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700) Density and/or relative density Density at 20 °C 1.1 g/cm³ 	•	Fully miscible
value) Not determined. • Steam pressure at 20 °C: 0 hPa (CAS: 9003-36-5 2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700) • Density and/or relative density 1.1 g/cm³		
 Steam pressure at 20 °C: O hPa (CAS: 9003-36-5 2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700) Density and/or relative density Density at 20 °C 1.1 g/cm³ 		Not determined.
 phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700) Density and/or relative density Density at 20 °C 1.1 g/cm³ 		
Density and/or relative densityand homologues, molecular weight < 700)		
Density and/or relative density Density at 20 °C 1.1 g/cm ³		
· Density at 20 °C 1.1 g/cm ³	· Density and/or relative density	
		1.1 a/cm ³
(Contd. on page 6)		

GB



Printing date 09.02.2024

Version number 16 (replaces version 15)

Revision: 09.02.2024

Trade name BRAWO SRR - Komponente A

	(Contd. of p	Jay
· Vapour density	Not determined.	
9.2 Other information		
Appearance:		
· Form:	Fluid	
Important information on protection of heat	alth	
and environment, and on safety.		
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Change in condition		
· Evaporation rate	Not determined.	
· Information with regard to physical haz	ard	
classes		
- Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
· Oxidising gases	Void	
Gases under pressure	Void	
· Flammable liquids	Void	
· Flammable solids	Void	
Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

10.1 Reactivity	No further relevant information available.
10.2 Chemical stability	stable
Thermal decomposition /	
conditions to be avoided:	No decomposition if used according to specifications.
10.3 Possibility of hazardous	
reactions	No dangerous reactions known
10.4 Conditions to avoid	No further relevant information available.
10.5 Incompatible materials:	No further relevant information available.
10.6 Hazardous	
decomposition products:	No dangerous decomposition products known

SECTION 11: Toxicological information

 · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

 · Acute toxicity
 Based on available data, the classification criteria are not met.

(Contd. on page 7)

Page 6/11



Printing date 09.02.2024

Version number 16 (replaces version 15)

Revision: 09.02.2024

Trade name BRAWO SRR - Komponente A

		(Contd. of page	6)
· LD/LC5	i0 valu	es that are relevant for classification:	
CAS: 1	675-54	-3 epoxide derivates	
Dermal	LD50	23000 mg/kg (rabbit)	
CAS: 9	003-36	-5 Reaction mass of 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]dioxirane and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane and 2,2' [methylenebis(2,1-phenyleneoxymethylene)]dioxirane	
Oral	LD50	>2000 mg/kg (rat)	
Dermal	LD50	>2000 mg/kg (rabbit)	
CAS: 6	8609-9	7-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs	
Oral	LD50	17100 mg/kg (rat)	
CAS: 1	08-31-0	6 maleic anhydride	
Oral	LD50	1090 mg/kg (rat)	
Dermal	LD50	2620 mg/kg (rat)	
	s eye d	n/irritation Causes skin irritation. Iamage/irritation Causes serious eye irritation. r skin	
sensitis 11.2 Inf		May cause an allergic skin reaction. ion on other hazards	
Endocr	rine dis	srupting properties	
CAS: 12	28-37-0	2,6-Di-tert-butyl-p-cresol List I	Τ

SECTION 12: Ecological information

54-3 epoxide derivates
>42.6 mg/l (Bak)
2 mg/l (Oncorhynchus mykiss)
1.8 mg/l (Daphnia magna)
11 mg/l (Selenastrum capricornutum)
36-5 Reaction mass of 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]dioxirane and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane and 2,2'- [methylenebis(2,1-phenyleneoxymethylene)]dioxirane
>100 mg/l (Daphnia magna)
>100 mg/l (Leucidus idus)
-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs
843 mg/l (Pseudokirchneriella subcapitata)
>5000 mg/l (Oncorhynchus mykiss)
1800 mg/l (Lepomis macrochirus)
>100 mg/l (BEL)
500 mg/l (Pseudokirchneriella subcapitata)
ty No further relevant information available. umulative No further relevant information available.

Page 7/11



Printing date 09.02.2024

Safety data sheet according to 1907/2006/EC, Article 31

Version number 16 (replaces version 15)

Revision: 09.02.2024

Trade name BRAWO SRR - Komponente A

(Contd. of page 7) · 12.4 Mobility in soil No further relevant information available. · 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. · 12.6 Endocrine disrupting For information on endocrine disrupting properties see section 11. properties 12.7 Other adverse effects · Remark: Toxic for fish · Additional ecological information: · General notes: Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms Do not allow product to reach ground water, water bodies or sewage system. Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations

• 13.1 Waste treatment metho • Recommendation	nds Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
 Uncleaned packagings: Recommendation: 	Dispose of packaging according to regulations on the disposal of packagings. Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.
 Recommended cleaning agent: 	Water, if necessary with cleaning agent.

14.1 UN number or ID number ADR, IMDG, IATA	UN3082
14.2 UN proper shipping name	
ADR, IATA	ENVIRONMENTALLY HAZARDOUS
	SUBSTANCE, LIQUID, N.O.S. (epoxide derivates)
IMDG	ENVIRONMENTALLY HAZARDOUS
	SUBSTANCE, LIQUID, N.O.S. (epoxide derivates)
	MARINE POLLUTANT
14.3 Transport hazard class(es)	
ADR	
Class	9 (M6) Miscellaneous dangerous substances and
	articles.
Label	9
IMDG, IATA	
Class	9 Miscellaneous dangerous substances and
	articles.
Label	9
	(Contd. on page 9

Page 8/11



Printing date 09.02.2024

Version number 16 (replaces version 15)

Revision: 09.02.2024

Trade name BRAWO SRR - Komponente A

	(Contd. of page
• 14.4 Packing group • ADR, IMDG, IATA	<i>III</i>
· 14.5 Environmental hazards:	
· Marine pollutant:	Yes
-	Symbol (fish and tree)
[·] Special marking (ADR):	Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
[•] 14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
Kemler Number:	90
· EMS Number:	F-A,S-F
· Stowage Category	A
· 14.7 Maritime transport in bulk accordi	ing to
IMO instruments	Not applicable.
· Transport/Additional information:	
ADR	
 Limited quantities (LQ) 	5L
 Excepted quantities (EQ) 	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 100 ml
· Transport category	3
• Tunnel restriction code	(-)
·IMDG	
· Limited quantities (LQ)	5L
• Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 100 ml
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOU SUBSTANCE, LIQUID, N.O.S. (EPOXIDI DERIVATES), 9, III

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Poisons Act

Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

(Contd. on page 10)

GB

Page 9/11



Printing date 09.02.2024

Version number 16 (replaces version 15)

Revision: 09.02.2024

Page 10/11

Trade name BRAWO SRR - Komponente A

	(Contd. of page 9
· Reportable poisons	
None of the ingredients is listed	
· Directive 2012/18/EU	
· Named dangerous	
substances - ANNEX I	None of the ingredients is listed.
· Seveso category	E2 Hazardous to the Aquatic Environment
· Qualifying quantity (tonnes)	·
for the application of lower-	
tier requirements	200 t
Qualifying quantity (tonnes)	
for the application of upper-	
tier requirements	500 t
15.2 Chemical safety	
assessment:	A Chemical Safety Assessment has not been carried out.

SECTION 16: Other info	rmation		
Relevant phrases	H302	Harmful if swallowed.	
-	H314	Causes severe skin burns and eye damage.	
	H315	Causes skin irritation.	
	H317	May cause an allergic skin reaction.	
	H318	Causes serious eye damage.	
	H319	Causes serious eye irritation.	
	H334	May cause allergy or asthma symptoms or breathindifficulties if inhaled.	
	H372	Causes damage to organs through prolonged or repeat exposure.	
	H411	Toxic to aquatic life with long lasting effects.	
	H412	Harmful to aquatic life with long lasting effects.	
	EUH071	Corrosive to the respiratory tract.	
	EUH205	5 Contains epoxy constituents. May produce an aller	
		reaction.	
Abbreviations and acronyms	RID: Règ	glement international concernant le transport des marchandis	
-	dangereuses par chemin de fer (Regulations Concerning the Internatio		
	Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation		
	ADR: Accord relatif au transport international des marchandises dangereuses		
		ropean Agreement Concerning the International Carriage of Danger	
		ernational Maritime Code for Dangerous Goods	
		rnational Air Transport Association	
		bally Harmonised System of Classification and Labelling of Chemicals European Inventory of Existing Commercial Chemical Substances	
		European List of Notified Chemical Substances	
	CAS: Chemical Abstracts Service (division of the American Chemical Society)		
	DNEL: Derived No-Effect Level (UK REACH)		
	PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent		
		hal dose, 50 percent	
		sistent, Bioaccumulative and Toxic	
		y Persistent and very Bioaccumulative	
		4: Acute toxicity – Category 4 18: Skin correction/irritationCategory 18	
		1B: Skin corrosion/irritation – Category 1B 2: Skin corrosion/irritation – Category 2	
		1: Serious eye damage/eye irritation – Category 1	
	-	(Contd. on page	

GB



Printing date 09.02.2024 Version number 16 (replaces version 15)

Revision: 09.02.2024

Page 11/11

Trade name BRAWO SRR - Komponente A

	(Contd. of page 10 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Resp. Sens. 1: Respiratory sensitisation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1A STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquati hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquati hazard – Category 3
• * Data compared to the	