

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.02.2024

Version number 24 (replaces version 23)

Revision: 09.02.2024

Page 1/11

1 Product identifier	
ade name 2 Relevant identified uses the substance or mixture	BRAWO TC - Komponente A
nd uses advised against oplication of the substance	No further relevant information available. e
he mixture	Epoxy resin
3 Details of the supplier of anufacturer/Supplier:	BRAWO SYSTEMS GmbH Blechhammerweg 13-17 67659 Kaiserslautern Deutschland/Germany
	Tel: +49(0)631-205 61 100
forming department:	Technische Abteilung msds@brawoliner.de
4 Emergency telephone umber:	+49 (0) 61 31 - 19 240 (Giftnotruf Mainz)

- · Classification according to Regulation (EC) No 1272/2008
- Skin Irrit. 2 H315 Causes skin irritation.
- Eye Irrit. 2 H319 Causes serious eye irritation.
- Skin Sens. 1 H317 May cause an allergic skin reaction.
- STOT RE 2 H373 May cause damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



· Signal word

Warning

 Hazard-determining components of labelling:

epoxide derivates crystalline silica Reaction mass of 2,2'-[methylenebis(4,1-phenyleneoxymethylene)] dioxirane and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl) oxirane and 2,2'-[methylenebis(2,1-phenyleneoxymethylene)] dioxirane

(Contd. on page 2)

[—] GB



Printing date 09.02.2024

Version number 24 (replaces version 23)

Revision: 09.02.2024

Trade name BRAWO TC - Komponente A

		(Contd. of page 1)
		(C12-14-alkyloxy)methyl] derivs
		icts of hexane-1,6-diol with 2-(chloromethyl)oxirane
	(1:2)	
	maleic anhydric	
• Hazard statements	H315 Causes s	
		erious eye irritation.
		se an allergic skin reaction.
		ise damage to the lung through prolonged or exposure. Route of exposure: Inhalation.
	H411 Toxic to a	aquatic life with long lasting effects.
 Precautionary statements 	P101	If medical advice is needed, have product container or label at hand.
	P102	Keep out of reach of children.
	P103	Read carefully and follow all instructions.
	P260	Do not breathe dust/fume/gas/mist/vapours/
		spray.
	P273	Avoid release to the environment.
	P280	Wear protective gloves / eye protection / face protection.
	P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
	P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Additional information:	EUH205 Conta reactio	ins epoxy constituents. May produce an allergic
· 2.3 Other hazards	reactio	л.
· Results of PBT and vPvB as	sassmant	
· PBT:	Not applicable.	
· vPvB:	Not applicable.	
	and applicable.	

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture consisting of the following components. · Dangerous components: CAS: 1675-54-3 50-70% epoxide derivates EINECS: 216-823-5 Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317, EUH205 CAS: 9003-36-5 Reaction mass of 2,2'-[methylenebis(4,1->10-<25% EC number: 701-263-0 phenyleneoxymethylene)]dioxirane and 2-({2-[4-(oxiran-2ylmethoxy)benzyl]phenoxy}methyl)oxirane and 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]dioxirane Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317 CAS: 14808-60-7 crystalline silica <5% STOT RE 1, H372 (Contd. on page 3)



Printing date 09.02.2024 Version num

Version number 24 (replaces version 23)

Revision: 09.02.2024

Page 3/11

Trade name BRAWO TC - Komponente A

	(Co	ontd. of page 2)
CAS: 68609-97-2	oxirane, mono[(C12-14-alkyloxy)methyl] derivs	≥1-<3%
EINECS: 271-846-8	Skin Irrit. 2, H315; Skin Sens. 1, H317, EUH205	
CAS: 933999-84-9	CAS: 933999-84-9 Reaction products of hexane-1,6-diol with 2-(chloromethyl) oxirane (1:2)	
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412	
CAS: 108-31-6	maleic anhydride	<0.001%
EINECS: 203-571-6	Resp. Sens. 1, H334; STOT RE 1, H372; Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Sens. 1A, H317, EUH071	
	Specific concentration limit: Skin Sens. 1A; H317: C \geq 0.001 %	
· Additional informatior	For the wording of the listed hazard phrases refer to se	ction 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· After inhalation	Supply fresh air and call for doctor for safety reasons. In case of unconsciousness bring patient into stable side position
	for transport.
	Void
· After skin contact	Instantly wash with water and soap and rinse thoroughly.
· After eye contact	Seek medical treatment.
-	Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
· After swallowing	Rinse out mouth and then drink plenty of water.
-	Seek medical treatment.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment:

No special measures required.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and 	
emergency procedures	Wear protective clothing.
6.2 Environmental	
precautions:	Inform respective authorities in case product reaches water or sewage system.
• 6.3 Methods and material for	• •
containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

(Contd. on page 4)

GB



Printing date 09.02.2024

Version number 24 (replaces version 23)

Revision: 09.02.2024

Trade name BRAWO TC - Komponente A

6.4 Reference to other sections

(Contd. of page 3)

See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling

Store in cool, dry place in tightly closed containers. Open and handle container with care.

- Information about protection against explosions and fires: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage

 Requirements to be met by storerooms and containers: 	No special requirements.
 Information about storage in one common storage facility: 	
· Further information about	
storage conditions:	Keep container tightly sealed.
· Storage class	10

SECTION 8: Exposure controls/personal protection

				meters	
·	Com	oone	ents wit	<i>h critical values that require monitoring at the workplace:</i>	
	CAS:	108	-31-6 m	aleic anhydride	
	WEL Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ Sen				
•	DNEL	s			
	CAS:	686	09-97-2	oxirane, mono[(C12-14-alkyloxy)methyl] derivs	
	Oral		DNEL	1 mg/kg bw/Tag (ArL)	
Dermal DNEL 1.7 mg/kg bw/day (ArL)		1.7 mg/kg bw/day (ArL)			
	Inhala	ative	DNEL	0.98 mg/m³ (ArL)	

· PNECs

CAS: 68609-97-2 oxirane,	mono[(C12-14-alkyloxy)methyl] derivs

- PNEC 0.00072 mg/l (Mew)
 - 0.0072 mg/l (Freshwater)
- PNEC 80.12 mg/kg dwt (Bod)
 - 6.677 mg/kg dwt (Sediment)
 - 66.77 mg/kg dwt (Fresh water sediment)

• Additional information: The lists that were valid during the compilation were used as basis.

- · 8.2 Exposure controls
- Appropriate engineering controls
- No further data; see section 7.

GB

Page 4/11



Printing date 09.02.2024

Version number 24 (replaces version 23)

Revision: 09.02.2024

Trade name BRAWO TC - Komponente A

	(Contd. of page 4)
Individual protoction moasu	ires, such as personal protective equipment
· General protective and	nes, such as personal protective equipment
hygienic measures	Keep away from foodstuffs, beverages and food.
<i>,</i> ,,	Instantly remove any soiled and impregnated garments.
	Wash hands during breaks and at the end of the work.
	Avoid contact with the eyes and skin.
· Hand protection	Protective gloves.
nana protection	Selection of the glove material on consideration of the penetration
	times, rates of diffusion and the degradation
	After use of gloves apply skin-cleaning agents and skin cosmetics.
Matarial of glaves	
• Material of gloves	The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from
	manufacturer to manufacturer. As the product is a preparation of
	several substances, the resistance of the glove material can not be
	calculated in advance and has therefore to be checked prior to the
	application.
 Penetration time of glove 	
material	The exact breakthrough time must be obtained from the protective
	glove manufacturer and must be observed.
 Eye/face protection 	Tightly sealed safety glasses.
Body protection:	Protective work clothing.
	-

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and cher	nical properties
General Information	0
· Colour:	Green
· Smell:	Characteristic
 Melting point/freezing point: 	Not determined
• Boiling point or initial boiling point and	
boiling range	>200 °C (CAS: 25068-38-6 Propyl -2,2-diphenyl-
	4,4'dipropyloxirane polymers and homologues molecular weight < 700)
· Flash point:	151 °C
· Auto-ignition temperature:	181 °C (CAS: 25068-38-6 Propyl -2,2-diphenyl-
Auto-ignition temperature.	4,4'dipropyloxirane polymers and homologues
	molecular weight < 700)
	Not applicable.
· pH	Not determined.
Viceocity	Not determined.
· Viscosity:	Not data wain a d
Kinematic viscosity	Not determined.
dynamic:	Not determined.
Solubility	
· Water:	Not miscible or difficult to mix
 Steam pressure at 20 °C: 	<0.1 hPa (CAS: 25068-38-6 Propyl -2,2-diphenyl-
	4,4'dipropyloxirane polymers and homologues
	molecular weight < 700)
 Density and/or relative density 	
· Density at 20 °C	1.23 g/cm³
	(Contd. on page 6)
	GE



Printing date 09.02.2024

Version number 24 (replaces version 23)

Revision: 09.02.2024

Trade name BRAWO TC - Komponente A

		(Contd. of page
9.2 Other information		
Appearance:		
Form:	Pasty	
Important information on protection of hea	alth	
and environment, and on safety.		
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Information with regard to physical haz	ard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- No further relevant information available. · 10.1 Reactivity · 10.2 Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. · 10.3 Possibility of hazardous reactions No dangerous reactions known · 10.4 Conditions to avoid No further relevant information available. · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous
- decomposition products:

No dangerous decomposition products known

SECTION 11: Toxicological information

 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 · Acute toxicity

Based on available data, the classification criteria are not met.

(Contd. on page 7)

GB



Printing date 09.02.2024

Version number 24 (replaces version 23)

Revision: 09.02.2024

Page 7/11

Trade name BRAWO TC - Komponente A

	(Contd. of page 6			
· LD/LC50 values that are releva				
CAS: 1675-54-3 epoxide deriv				
Dermal LD50 23000 mg/kg (ra	bbit)			
and 2-({2-[4-(s of 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]dioxirane oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane and 2,2'- s(2,1-phenyleneoxymethylene)]dioxirane			
Oral LD50 >2000 mg/kg (ra	<i>t</i>)			
Dermal LD50 >2000 mg/kg (rabbit)				
CAS: 68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs				
Oral LD50 17100 mg/kg (rat)				
CAS: 108-31-6 maleic anhydri	de			
Oral LD50 1090 mg/kg (rat)				
Dermal LD50 2620 mg/kg (rat)				
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin	Causes skin irritation. Causes serious eye irritation.			
sensitisation	May cause an allergic skin reaction.			
Germ cell mutagenicity	Based on available data, the classification criteria are not met.			
· Carcinogenicity	Based on available data, the classification criteria are not met.			
· Reproductive toxicity · STOT-single exposure	Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.			
· STOT-repeated exposure	May cause damage to the lung through prolonged or repeate exposure. Route of exposure: Inhalation.			
 Aspiration hazard 11.2 Information on other haz 	Based on available data, the classification criteria are not met.			
• Endocrine disrupting properti	es			
CAS: 128-37-0 2,6-Di-tert-butyl	-p-cresol List II			

SECTION 12: Ecological information · 12.1 Toxicity · Aquatic toxicity: CAS: 1675-54-3 epoxide derivates IC50 >42.6 mg/l (Bak) LC50/96h 2 mg/l (Oncorhynchus mykiss) EC50/48h 1.8 mg/l (Daphnia magna) *ErC50/72h* 11 mg/l (Selenastrum capricornutum) CAS: 9003-36-5 Reaction mass of 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]dioxirane and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane and 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]dioxirane LC50/96h >100 mg/l (Daphnia magna) EC50/96h >100 mg/l (Leucidus idus) CAS: 68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs EbC50/72h 843 mg/l (Pseudokirchneriella subcapitata) LC50/96h >5000 mg/l (Oncorhynchus mykiss) (Contd. on page 8)

GB



Printing date 09.02.2024

Version number 24 (replaces version 23)

Revision: 09.02.2024

Trade name BRAWO TC - Komponente A

		(Contd. of page 7)
	1800 mg/l (Lepom	is macrochirus)
EC50	>100 mg/l (BEL)	
NOEC	500 mg/l (Pseudokirchneriella subcapitata)	
· 12.2 Persis	stence and	
degradabi	lity	No further relevant information available.
· 12.3 Bioac	cumulative	
potential		No further relevant information available.
· 12.4 Mobil		No further relevant information available.
[.] 12.5 Resul	ts of PBT and vPv	B assessment
· PBT:		Not applicable.
· vPvB:		Not applicable.
· 12.6 Endo	crine disrupting	
properties		For information on endocrine disrupting properties see section 11.
· 12.7 Other	adverse effects	
· Remark:		Toxic for fish
	ecological inform	
[.] General ne	otes:	Toxic for aquatic organisms
		Also poisonous for fish and plankton in water bodies.
		Do not allow product to reach ground water, water bodies or
		sewage system.
		Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations

· 13.1 Waste treatment method	ls
· Recommendation	Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
· Waste disposal key number:	55903 Bez.: Harzrückstände, nicht ausgehärtet Entsorgungshinweise: Sonderabfallverbrennung
 Uncleaned packagings: Recommendation: 	Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

· 14.1 UN number or ID number · ADR, IMDG, IATA	UN3082
[·] 14.2 UN proper shipping name	
· ADR, IATA	ENVIRONMENTALLY HAZARDOUS
	SUBSTANCE, LIQUID, N.O.S. (epoxide derivates)
·IMDG	ENVIRONMENTALLY HAZARDOUS
	SUBSTANCE, LIQUID, N.O.S. (epoxide derivates),
	MARINE POLLUTANT

Page 8/11



Printing date 09.02.2024

Version number 24 (replaces version 23)

Revision: 09.02.2024

Trade name BRAWO TC - Komponente A

	(Contd. of page
14.3 Transport hazard class(es)	
ADR	
Class	9 (M6) Miscellaneous dangerous substances an articles.
Label	9
IMDG, IATA	
Class	9 Miscellaneous dangerous substances an articles.
Label	9
14.4 Packing group ADR, IMDG, IATA	<i>III</i>
14.5 Environmental hazards:	
Marine pollutant:	Yes
-	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Miscellaneous dangerous substances an articles.
Kemler Number:	90
EMS Number:	F-A,S-F
Stowage Category	A
14.7 Maritime transport in bulk accordi	na to
IMO instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
(= =)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 100
	ml
Transport category	3
Tunnel restriction code	(-)
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 100
	ml
UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOU
en model regulation i	SUBSTANCE, LIQUID, N.O.S. (EPOXID DERIVATES), 9, III
	-// -/

(Contd. on page 10)

Page 9/11



Printing date 09.02.2024

Version number 24 (replaces version 23)

Revision: 09.02.2024

Trade name BRAWO TC - Komponente A

(Contd. of page 9)

Page 10/11

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

•	Ро	iso	ns	Act	
---	----	-----	----	-----	--

· Regulated explosives precursors None of the ingredients is listed. · Regulated poisons None of the ingredients is listed. · Reportable explosives precursors None of the ingredients is listed. · Reportable poisons None of the ingredients is listed. · Directive 2012/18/EU · Qualifying quantity (tonnes) for the application of lowertier requirements 200 t Qualifying quantity (tonnes) for the application of uppertier requirements 500 t · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other infor	mation
Relevant phrases	 H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H372 Causes damage to organs through prolonged or repeated exposure. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH071 Corrosive to the respiratory tract. EUH205 Contains epoxy constituents. May produce an allergin reaction.
Department issuing data specification sheet: Abbreviations and acronyms:	Environment protection department. RID: Règlement international concernant le transport des marchandised dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods (Contd. on page 1:



Page 11/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.02.2024

Version number 24 (replaces version 23)

Revision: 09.02.2024

Trade name BRAWO TC - Komponente A

	(Contd. of page 10
	IATA: International Air Transport Association
	GHS: Globally Harmonised System of Classification and Labelling of Chemicals
	EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society)
	DNEL: Derived No-Effect Level (UK REACH)
	PNEC: Predicted No-Effect Concentration (UK REACH)
	LC50: Lethal concentration, 50 percent
	LD50: Lethal dose, 50 percent
	PBT: Persistent, Bioaccumulative and Toxic
	vPvB: very Persistent and very Bioaccumulative
	Acute Tox. 4: Acute toxicity – Category 4
	Skin Corr. 1B: Skin corrosion/irritation – Category 1B
	Skin Irrit. 2: Skin corrosion/irritation – Category 2
	Eye Dam. 1: Serious eye damage/eye irritation – Category 1
	Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
	Resp. Sens. 1: Respiratory sensitisation – Category 1
	Skin Sens. 1: Skin sensitisation – Category 1
	Skin Sens. 1A: Skin sensitisation – Category 1A
	STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1
	STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
	Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquati
	hazard – Category 2
	Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic
	hazard – Category 3
· * Data compared to the	
previous version altered.	

GB -